

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2619	((packet) with (location near4 information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:33
S2	58	((packet) with (location near4 information)) same ((retransmi\$6 transmi\$6) near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:20
S3	13	S2 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:21
S4	2	"5243530".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 14:47
S5	41	((packet with miss\$6 with information)) same ((retransmi\$6 transmi\$6) near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:24
S6	16	S5 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 15:00
S7	1	((specific with miss\$6 with information)) same ((retransmi\$6 transmi\$6) near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 15:00
S8	4	((specific certain) with miss\$6 with information)) same ((retransmi\$6 transmi\$6) near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 15:00

EAST Search History

S9	7	((specific certain piece) with miss\$6 with information)) same ((retransmi\$6 transmi\$6) near2 request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 15:00
S10	2	S9 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 15:00
S11	19	((packet) with (location near4 information)) same ((retransmi\$6 transmi\$6) near2 request).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:21
S12	2	S11 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:25
S13	11	((packet with (fail\$6 miss\$6) with information)) same ((retransmi\$6 transmi\$6) near2 request).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:25
S14	0	S13 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:25
S15	101	(((fail\$6 miss\$6) with information)) same ((retransmi\$6 transmi\$6) near2 request).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:25
S16	14	S15 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 18:25

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	28	((VLAN) and (physical\$6 with (location) with (ID identifi\$6 notation)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 09:46
S2	0	S1 and "19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 09:46
S3	4	S1 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/08/21 09:46

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	12	((location with specific with port) and (VLAN))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/20 14:24
S2	20	((location with specific with port) and (VLAN))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/20 14:24
S3	11	S2 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 17:42
S4	24	((VLAN and (rfc) and ((floor building) with (location track\$6))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 19:44
S5	29	((VLAN and (rfc) and ((floor building) with (location track\$6))))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 17:41
S6	1	S5 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:10
S7	4	("6775290" "6526052").pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:09
S8	1	S7 and request\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:09

EAST Search History

S9	73	((request\$6 with missing with (VLAN identifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:15
S10	11	S9 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:15
S11	5	((request\$6 with retransm\$6 with missing with (VLAN identifier)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:17
S12	2	S11 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:18
S13	0	((request\$6 with retransm\$6 with (VLAN)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:17
S14	1650	((request\$6 with retransm\$6 with (information)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:17
S15	72	((request\$6 with retransm\$6 with (information) with missing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:23
S16	35	S15 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:23

EAST Search History

S17	25	((request\$6 with retransm\$6 with (information) with missing with packet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:25
S18	11	S17 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:25
S19	259112	((request\$6 with retransm\$6 with (information) with corrupt\$6with packet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:25
S20	6	((request\$6 with retransm\$6 with (information) with corrupt\$6 with packet))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 18:25
S21	3	S20 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 19:45
S22	12	(US-5764636-\$ or US-6463478-\$ or US-6597693-\$ or US-6424659-\$ or US-5740171-\$ or US-6470385-\$ or US-5235595-\$ or US-6728920-\$ or US-6167445-\$ or US-5742604-\$ or US-5319648-\$ or US-5557677-\$).did.	USPAT	OR	OFF	2006/06/21 18:29
S23	2	S22 and (VLAN and (missing corrupt\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/21 18:29
S24	178	((location same base\$6 same (VLAN)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 19:51

EAST Search History

S25	80	S24 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 19:51
S26	81	((location same base\$6 same tag\$6 same VLAN))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:00
S27	59	S26 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:01
S28	19	((location with (base\$6 specific)) same (identifi\$6 tag\$6) same VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:03
S29	5	S28 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:06
S30	101	((((location area build\$6 floor) near4 (physical\$6 base\$6 specific)) same (identifi\$6 tag\$6) same VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:05
S31	113	((((location area build\$6 floor) near4 (physical\$6 base\$6 specific particular)) same (identifi\$6 tag\$6) same VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:32
S32	12	S31 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:33

EAST Search History

S33	2	"6058429".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:12
S34	122	((((location area build\$6 floor) near4 (physical\$6 base\$6 specific particular)) same (ID identifi\$6 tag\$6) same VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:45
S35	12	S34 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:45
S36	35	((((location area build\$6 floor room) near4 (associat\$6)) with (ID identifi\$6 tag\$6) same VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:47
S37	12	S35 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:47
S38	35	((((location area build\$6 floor room) near4 (associat\$6)) with (ID identifi\$6 tag\$6)) same VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:51
S39	7	S38 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:53
S40	133	((((location build\$6 floor room) near4 (physical\$6 base\$6 specific particular associat\$6)) with (ID identifi\$6 tag\$6)) and VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 20:52

EAST Search History

S41	30	S40 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:21
S42	90	agile.as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:01
S43	0	(agile near2 network).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:02
S44	90	(agile).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:02
S45	0	(agile near2 networks).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:02
S46	0	(agile near networks).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:02
S47	1	(atmman near2 virtual near2 LAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:19
S48	1	((agile lucent).as.) and (VLAN with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:22

EAST Search History

S49	14	((lucent).as.) and (VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:21
S50	3	S49 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:22
S51	23	((lucent avaya).as.) and (VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:22
S52	1	((agile lucent avaya).as.) and (VLAN with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:22
S53	6	S51 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:34
S54	1	((location\$\$specific location\$\$particular\$6 location\$\$based) same VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:33
S55	14	((((location\$\$specific location\$\$particular\$6 location\$\$based) same (identif\$6 ID tag)) and VLAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:33
S56	2	S55 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:47

EAST Search History

S57	18914	((location room build\$6 floor) near4 (physical\$6 based specific particular)) with (ID identifi\$6 tag\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:47
S58	101	((location room build\$6 floor) near4 (physical\$6 based specific particular)) with (ID identifi\$6 tag\$6)) and VLAN	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:47
S59	18	S58 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/21 21:47

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"6775290".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 20:03
S2	2	"6526052".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:26
S3	153	(vlan (virtua\$6 near2 local near2 area\$6)) and (snmp (simp\$6 near2 manag\$5 near2 network\$6 near2 proto\$6)) and (no near4 (tag\$6 informat\$6 identification\$4 id))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:29
S4	31	S3 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:46
S5	28	S4 and (quer\$6 request\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:34
S6	3	(US-6526052-\$ or US-6147995-\$ or US-6775290-\$).did.	USPAT	OR	OFF	2005/12/07 21:43
S7	0	S6 and bill\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:43
S8	1	S6 and authori\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:44

EAST Search History

S9	0	(bill\$6 near4 base\$6 near4 (location\$6)) and (vlan) and snmp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:45
S10	0	(bill\$6 near4 base\$6 near4 (location\$6)) and (vlan)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:45
S11	0	(bill\$6 near4 base\$6 near4 (location\$6)) and (snmp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:46
S12	7	(bill\$6 with (base\$6 near4 (location\$6))) and (snmp)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:47
S13	0	S12 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:48
S14	460	(bill\$6 with ((base based according) near4 (location\$6)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:48
S15	113	S14 and @ad<"19991022"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:49
S16	0	S15 and snmp	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:49

EAST Search History

S17	0	S15 and vlan	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:49
S18	80	S15 and network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:51
S19	80	S18 and (location\$6 near8 (base based))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:52
S20	61	S18 and (location\$6 near2 (base based))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:53
S21	45	S18 and (location\$6 near (base based))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:53
S22	36	S18 and ((location\$6 near (base based)) with bill\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/07 21:53

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3507	709/223.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:12
S2	6419	709/224-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:12
S3	5370	709/227-229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:12
S4	13017	S1 or S2 or S3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:16
S5	8542	((router\$6 gateway\$6 switch\$6) with (vlan\$6 tag\$6 (port\$6 near2 identifi\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:18
S6	374	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 14:19
S7	117	S6 and @ad<"19991022"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:11
S8	13	S7 and (vlan with tag\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:18
S9	6	((vlan\$6 near6 (tags identifiers IDs)) with (stor\$6 near8 database\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 21:12

EAST Search History

S10	4	((vlan\$6 near6 (tags identifiers IDs)) same (stor\$6 near8 database\$6)) same (switch\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 16:29
S11	5	((vlan\$6 with (tags identifiers ID\$2)) with (stor\$6 near8 database\$6)) with port\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 21:18
S12	94	((tags (port\$6 near2 (identifiers ID\$2)))) with (stor\$6 near8 database\$6)) with port\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 21:19
S13	4	S12 and vla\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 21:19
S14	20	S12 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 07:44
S15	2	"5226120".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 21:36
S16	7	("4428042" "4608684" "4967344" "5179554" "5226120" "5301303" "5319644").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 22:01
S17	13	("5432789").URPN.	USPAT	OR	OFF	2005/03/16 22:05
S18	258	((tag\$6 same ((vlan\$6 (virtual\$6 near2 local\$6)) near8 (identif\$6)) same port\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 22:19
S19	103	S18 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 22:21

EAST Search History

S20	0	S19 and (location\$6 same connect\$6 same authori\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 22:22
S21	3	S19 and (connect\$6 same authori\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 22:22
S22	32	("4975906" "5218603" "5394402" "5473608" "5500860" "5619495" "5684800" "5734824" "5751967" "5752003" "5796740" "5825772" "5838677" "5878232" "5889762" "5892912" "5949783" "5959989" "5959990" "5963556" "5987522" "6014380" "6023563" "6047325" "6085238" "6111876" "6112251" "6128655" "6157647" "6185214" "6188691" "6301224").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/16 22:26
S23	3	("6526052").URPN.	USPAT	OR	OFF	2005/03/16 22:34
S24	4358	((database\$6 same ((port\$6 near4 (identif\$6 id\$2)) (port\$6 near4 (connection\$6))))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 22:49
S25	9	(S24 same snmp) and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 23:01
S26	0	S25 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 23:01
S27	44	(S24 and snmp) and vlan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 23:01

EAST Search History

S28	16	S27 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 23:01
S29	15	S28 and (locat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/16 23:02
S30	7	(US-6549516-\$ or US-5432789-\$ or US-6526052-\$ or US-5825772-\$ or US-6175867-\$ or US-5226120-\$ or US-6460084-\$).did.	USPAT	OR	OFF	2005/03/16 23:05
S31	5	S30 and locat\$6	USPAT	OR	OFF	2005/03/16 23:05
S32	900	((locat\$6 near2 (base\$6 specific\$6)) with (connect\$6 near4 port\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:15
S33	606	S32 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:48
S34	55	S33 and (concentrat\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:09
S35	11	S33 and (associat\$6) and (port\$6 near2 identi\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:12
S36	23	S33 and ((port\$6 near2 identi\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:12
S37	10	((location near (base\$6 specific\$6)) near8 (connection near port\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:30

EAST Search History

S38	20	((port\$6 near2 identif\$6) near8 ((location\$6 near2 (base\$5 specif\$6)) near4 (port\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:31
S39	15	S38 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:56
S40	2	"5621793".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:46
S41	3207	(port\$6 near2 (id\$1 identif\$6 tag\$6)) with (locat\$6 (physic\$6 near2 (locat\$6 id\$2 identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:47
S42	1697	S41 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:48
S43	12	S42 and vlan\$6 and snmp\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:55
S44	248	((tag\$6 same vlan\$6) same (port\$6 near4 (id\$1 identif\$6)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 17:56
S45	113	S44 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 07:41
S46	151	((access\$6 near2 concentrat\$6) with (gateway\$6 router\$6 proxy\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 07:43
S47	61	((access\$6 near2 concentrat\$6) with (gateway\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 07:43

EAST Search History

S48	21	S47 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 07:44
S49	50	S46 and @ad<"19991001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 07:45
S50	15	S49 and (port\$6 near2 (id\$2 identif\$6 tag\$6))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 07:45
S51	5	("6286039" "6128601" "5987430").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/18 08:44

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1249	709/223.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:28
S2	2651	709/224-226.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:28
S3	2283	709/227-229.ccls.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:29
S4	570	(network) and ((connect\$3 adj4 port\$1) near6 packet\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:37
S5	27	(network) and ((connect\$3 adj4 port\$1) near6 packet\$1) and (tag\$3 and VLAN)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:36
S6	23	(network) and ((connect\$3 adj4 port\$1) near6 packet\$1) and (tag\$3 and VLAN) and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 16:53
S7	1	((connection adj4 port\$1) near6 packet\$1) and (tag\$3 and VLAN) and @ad<"19991022"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:36
S8	323	(stor\$3 with (port\$1 near4 ("data packet" or "data packets")))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:40
S9	75	(stor\$3 with (port\$1 near4 ("data packet" or "data packets")) and VLAN	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:43
S10	100	VLAN and SNMP	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 14:39
S11	27	VLAN and SNMP and proxy	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:55

EAST Search History

S12	31	VLAN and SNMP and (proxy or firewall)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:56
S13	19	VLAN and SNMP and (proxy or firewall) and database	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:56
S14	16	VLAN and SNMP and (proxy or firewall) and database and stor\$3	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 15:56
S15	2	VLAN and SNMP and (proxy or firewall) and database and (stor\$3 with (port\$1 near6 (data or packet)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 16:05
S16	11351	((stor\$3 or sav\$3) with (port\$1 near6 (data or packet)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 16:06
S17	199	((stor\$3 or sav\$3) with (port\$1 near6 (data or packet))) and VLAN	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 16:06
S18	32	((stor\$3 or sav\$3) with (port\$1 near6 (data or packet))) and VLAN and SNMP	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 16:10
S19	1138	((specific) with (port\$1 near6 (data or packet)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 16:10
S20	926	((stor\$3 or sav\$3) and (specific with (port\$1 near6 (data or packet))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 16:16
S21	200	((stor\$3 or sav\$3) with (specific with (port\$1 near6 (data or packet))))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 15:59
S22	3	((stor\$3 or sav\$3) with (specific with (port\$1 near6 (data or packet)))) and VLAN	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 16:18
S23	139	((location near4 base\$1) with identif\$4) with network)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 11:19

EAST Search History

S24	1	((location near4 base\$1) with identif\$4) with network) and VLAN	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/04 16:23
S25	31	((location near4 base\$1) with identif\$4) with network) and identify and port	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 11:19
S26	19	VLAN and SNMP and gateway and port	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:23
S27	16	VLAN and (port near4 (tag\$3 with identif\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:00
S28	1	VLAN and ((sav\$3 or record\$3 or stor\$3) with (port near4 (tag\$3 with identif\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:03
S29	3079	(switch near4 (router or gateway))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:09
S30	2167	(switch near2 (router or gateway))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:04
S31	92	(switch near2 (router or gateway)) and VLAN	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:05
S32	4	(switch with (router or gateway)) and (port near4 (tag\$3 with identif\$3))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:11
S33	2	"5889470".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:23
S34	196	((data\$1 or packet\$1) near6 (forward\$3 with (port\$3 near6 base\$3)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:26
S35	153	((data\$1 or packet\$1) near6 (forward\$3 with (port\$3 near6 base\$3))) and (switch\$3 or gateway or router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:26

EAST Search History

S36	34	((data\$1 or packet\$1) near6 (forward\$3 with (port\$3 near6 base\$3))) and (switch\$3 or gateway or router) and VLAN	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/05 15:26
S37	27	((data\$1 or packet\$1) near6 (forward\$3 with (port\$3 near6 base\$3))) and (switch\$3 or gateway or router) and VLAN and @ad<"19991001"	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 15:58
S38	2	"6058429".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 13:44
S39	2	"6370142".pn.	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 13:45
S40	2747	((stor\$3 or sav\$3) adj4 (port\$1 near4 (data\$1 or packet\$1)))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 16:07
S41	62	((stor\$3 or sav\$3) adj4 (port\$1 near4 (data\$1 or packet\$1))) and (switch and gateway)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 16:07
S42	29	((stor\$3 or sav\$3) adj4 (port\$1 near4 (data\$1 or packet\$1))) and (switch and gateway and router)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 16:33
S43	2	"6058429".pn. and ((port\$1 near6 packet\$1) or (tag\$3 and VLAN))	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/08 17:58
S44	1	"6370142".pn. and (port\$1 near6 dtag\$3)	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:10
S45	11	SNMP with XML	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/12/09 08:10